according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 21 Sept 2022 **Print date:** 22 Aug 2023

Version: 4
Page 1/10

VELO Airwave X-Strong [••••] Slim

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

VELO Airwave X-Strong [••••] Slim

Other means of identification:

LYFT Airwave X-Strong [••••] Slim

LYFT Forest Menthol 4 Slim

LYFT Cool Eucalyptus X-Strong [••••] Slim

VELO/LYFT Airwave X-Strong 10.9mg Slim

VELO/LYFT Ice Blast Airwaves AC064 10.9mg Slim

VELO/LYFT Eucalyptus Storm Intense [••••] Slim

VELO/LYFT Eucalyptus Storm Intense 10.9mg Slim

PTN01151 v1

UFI:

RJFG-64WC-7GA5-EY9H

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

The product is intended for consumer use.

1.3. Details of the supplier of the safety data sheet

Manufacturer:

BAT Pécsi Dohánygyár Kft.

Francia utca 2 7630 Pécs Hungary

Telephone: +36 72 504 100

E-mail: sds-eliquid@bat.com

Manufacturer:

BAT Trieste S.p.A.

SAN DORLIGO DELLA VALLE DOLINA (TS)

LOCAL. BAGNOLI DELLA ROSANDRA SNC CAP 34018

Italy

E-mail: sds-eliquid@bat.com

1.4. Emergency telephone number

Toxikologické informační středisko,

Klinika pracovního lékařství VFN a 1. LF UK ;

Na Bojišti 1,

120 00 Praha 2, 24h: +420 224 919 293, +420 224 915 402, a jen při poruše tel. +420 725 103 658;

Carechem 24 International: +420 228 882 830

24h: +44 1235 239670; UK Poison Centre NPIS: 0344-8920111 (medical professionals only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Acute toxicity (oral) (Acute Tox. 4)	H302: Harmful if swallowed.	Calculation method.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 21 Sept 2022 Print date: 22 Aug 2023 Version: 4

Page 2/10

VELO Airwave X-Strong [••••] Slim

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



GHS07 Exclamation mark Signal word: Warning

Hazard components for labelling:

nicotine

Hazard statements	for health hazards
H302	Harmful if swallowed.

Supplemental hazard information: none

Precautionary statements		
P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	

Precautionary statements Prevention		
P264	264 Wash hands thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	

Precautionary statements Response		
P301 + P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.	

Precautionary statements Disposal		
P501	Dispose of contents in accordance with local, regional or national regulations.	

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 54-11-5 EC No.: 200-193-3 Index No.: 614-001-00-4 REACH No.: 01-2120066934-47-0000	nicotine Acute Tox. 2 (H330, H310, H300), Aquatic Chronic 2 (H411) Danger Acute Toxicity Estimate ATE (oral): 5 mg/kg ATE (dermal): 70 mg/kg ATE (inhalation, dust/mist): 0.19 mg/L	0 - ≤ 1.65 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Do not leave affected person unattended.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 21 Sept 2022 Print date: 22 Aug 2023

Version: 4 Page 3/10

VELO Airwave X-Strong [••••] Slim

Following inhalation:

Provide fresh air.

In case of skin contact:

Take off immediately all contaminated clothing.

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Following ingestion:

Rinse mouth. Get medical advice/attention if you feel unwell.

Self-protection of the first aider:

Wear personal protection equipment (refer to section 8). No direct artificial respiration to be given by first aider.

4.2. Most important symptoms and effects, both acute and delayed

If exposed to large quantities of the product, acute nicotine poisoning might occur causing symptoms such as nausea, excess salivation, abdominal pain, diarrhoea, sweating, headache, dizziness, disturbed hearing and weakness. In extreme cases, these symptoms may be followed by depression of the central nervous system, including confusion, hypotension, rapid or weak or irregular pulse, breathing difficulties, prostration, circulatory collapse and terminal convulsions.

4.3. Indication of any immediate medical attention and special treatment needed

ONLY FOR MEDICAL PERSONNEL: In case of severe nicotine poisoning, if airway is secured, administration of activated charcoal should be considered. Do NOT administer antacids; alkaline conditions improve the absorption of nicotine. Monitor breathing patterns and maintain circulation. Cholinergic symptoms may be treated with atropine.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Dry extinguishing powder, alcohol resistant foam, Water spray jet

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Do not enter storage, handling and production areas if unauthorized.

Emergency procedures:

Do not walk on the spillage and avoid any kind of contact. Ventilate affected area if safe to do so. Evacuate the danger area immediately and follow the emergency procedures of your workplace.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 21 Sept 2022 Print date: 22 Aug 2023

Version: 4 Page 4/10

VELO Airwave X-Strong [••••] Slim

6.3. Methods and material for containment and cleaning up

For containment:

Collect spillage. Measures to prevent aerosol and dust generation: Wet clean or vacuum up solids.

For cleaning up:

Water (with cleaning agent)

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

It is recommended to design all work processes always so that the following is excluded: Strong acid, Highly oxidising substances. Wear personal protection equipment (refer to section 8). Do not breathe dust.

Fire prevent measures:

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. To avoid the risk of fire, do not allow this product to dry out.

Measures to prevent aerosol and dust generation:

Dust should be exhausted directly at the point of origin. Additional measures for respiratory protection: High efficiency particulate air filter (HEPA filter)

Advices on general occupational hygiene

Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels:

Ensure adequate ventilation of the storage area.

Hints on storage assembly:

Keep away from: Strong acid, Highly oxidising substances

Storage class (TRGS 510, Germany): 10 - 13 - Other combustible and non-combustible substances

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet. Observe instructions for use.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 21 Sept 2022 Print date: 22 Aug 2023

Version: 4 Page 5/10

VELO Airwave X-Strong [••••] Slim

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value Short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
CZ from 1 Mar 2020	nicotine CAS No.: 54-11-5 EC No.: 200-193-3	① 0.074 ppm (0.5 mg/m³) ② 0.37 ppm (2.5 mg/m³) ⑤ (může pronikat pokožkou) D
WEL (GB)	nicotine CAS No.: 54-11-5 EC No.: 200-193-3	① 0.5 mg/m³ ② 1.5 mg/m³ ⑤ (May be absorbed through the skin.)
IOELV (EU)	nicotine CAS No.: 54-11-5 EC No.: 200-193-3	① 0.5 mg/m³ ⑤ (May be absorbed through the skin.)

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.0313 mg/m ³	① DNEL worker ② Long-term – inhalation, systemic effects
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	8.6 mg/m ³	DNEL worker Acute - inhalation, systemic effects
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.00443 mg/ kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.84 mg/kg bw/day	DNEL worker Acute - dermal, systemic effects
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.2 mg/cm ²	DNEL worker Acute - dermal, local effects

Substance name	PNEC Value	① PNEC type
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.4 μg/L	① PNEC aquatic, freshwater
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.04 μg/L	① PNEC aquatic, marine water
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	2.7 mg/L	① PNEC sewage treatment plant
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.00065 mg/ kg	① PNEC sediment, freshwater
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.000065 mg/ kg	① PNEC sediment, marine water

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 21 Sept 2022 **Print date:** 22 Aug 2023

Version: 4 Page 6/10

VELO Airwave X-Strong [••••] Slim

Substance name	PNEC Value	① PNEC type
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.000321 mg/ kg	① PNEC soil
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	3 μg/L	① PNEC aquatic, intermittent release

8.2. Exposure controls

8.2.1. Appropriate engineering controls

The exposure frequency, duration and number of exposed persons shall be minimised.

8.2.2. Personal protection equipment





Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: NBR (Nitrile rubber), Butyl caoutchouc (butyl rubber). In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

Respiratory protection:

Usually no personal respirative protection necessary. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Half-face mask (EN 149 / EN 140-EN 143). The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Powder Colour: white

Odour: Menthol

Safety relevant basis data

Parameter	Value	1 Method
		② Remark
pH	8.8	② in aqueous solution: 5%
Melting point	not determined	
Freezing point	not determined	
Initial boiling point and boiling range	not determined	
Decomposition temperature	not determined	
Flash point	not determined	
Evaporation rate	not determined	
Auto-ignition temperature	not determined	
Upper/lower flammability or explosive limits	not determined	
Vapour pressure	not determined	
Vapour density	not determined	
Density	not determined	
Relative density	not determined	

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 21 Sept 2022 Print date: 22 Aug 2023

Version: 4
Page 7/10

VELO Airwave X-Strong [••••] Slim

Parameter		① Method ② Remark
Bulk density	not determined	
Water solubility	not determined	
Partition coefficient: n-octanol/water	not determined	
Dynamic viscosity	not determined	
Kinematic viscosity	not determined	

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is considered to be non-reactive under normal use conditions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Avoid high temperatures or direct sunlight. Do not dry up the product.

10.5. Incompatible materials

Strong acid, Highly oxidising substances.

10.6. Hazardous decomposition products

Decomposition products in case of fire: see section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

nicotine	CAS No.: !	54-11-5	EC No.:	200-193-3
ATE (or	al)¹: 5 mg/k	g		
ATE (de	rmal)1: 70	mg/kg		
ATE (in	halation, d	lust/mis	t)¹: 0.19	mg/L

^{1:} Acute Toxicity Estimate. Harmonised (legal) classification.

Acute oral toxicity:

Harmful if swallowed.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 21 Sept 2022 Print date: 22 Aug 2023

Version: 4 Page 8/10

VELO Airwave X-Strong [••••] Slim

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

nicotine CAS No.: 54-11-5 EC No.: 200-193-3

LC₅₀: 4 mg/L 4 d (fish, Oncorhynchus mykiss (Rainbow trout))

EC₅₀: 11 mg/L 3 d (Algae/water plant)

EC₅₀: 0.24 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))

12.2. Persistence and degradability

nicotine CAS No.: 54-11-5 EC No.: 200-193-3

Biodegradation: Yes, rapidly

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

nicotine CAS No.: 54-11-5 EC No.: 200-193-3

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Do not allow uncontrolled discharge of product into the environment.

Waste treatment options

Appropriate disposal / Product:

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Consult the appropriate authorities about waste disposal.

Appropriate disposal / Package:

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
			No dangerous good in sense of these transport regulations.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 21 Sept 2022 Print date: 22 Aug 2023

Version: 4 Page 9/10

VELO Airwave X-Strong [••••] Slim

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.2. UN proper ship	ping name		
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport haza	rd class(es)		
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant
14.5. Environmental	hazards		
not relevant	not relevant	not relevant	not relevant
14.6. Special precau	tions for user		
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC (Text with EEA relevance)

EUROPEAN PARLIAMENT AND COUNCIL DIRECTIVE 94/62/EC of 20 December 1994 on packaging and packaging waste

15.1.2. National regulations

No data available

15.2. Chemical Safety Assessment

Chemical safety assessments are not required for mixtures.

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3. Key literature references and sources for data

European Chemicals Agency, http://echa.europa.eu/ Umweltbundesamt, http://webrigoletto.uba.de/rigoletto

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Acute toxicity (oral) (Acute Tox. 4)	H302: Harmful if swallowed.	Calculation method.

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H300	Fatal if swallowed.
H310	Fatal in contact with skin.
H330	Fatal if inhaled.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 21 Sept 2022 Print date: 22 Aug 2023

Version: 4

VELO Airwave X-Strong [••••] Slim

Hazard statements	
H411	Toxic to aquatic life with long lasting effects.

16.6. Training adviceMake sure that employees are aware of the intoxication risk. People wearing breathing apparatus must be appropriately trained.

16.7. Additional information

No data available